L Number	Hits	Search Text	DB	Time stamp
-	267	717/128.ccls.	USPAT; US-PGPUB	2004/09/20
_	8	717/128.ccls. and predicate	USPAT;	14:14 2004/09/20
_	2	717/128.ccls. and guard	US-PGPUB USPAT;	14:14 2004/09/20
_	1	717/128.ccls. and guard and commit\$5	US-PGPUB USPAT;	15:13 2004/09/20
_	486	712/227.ccls.	US-PGPUB USPAT;	14:58 2004/09/20
_	425	712/218.ccls.	US-PGPUB USPAT;	15:11 2004/09/20
_	18	(3,659,272 5,003,462 5,594,864 5,632,028	US-PGPUB USPAT;	15:11 2004/09/20
		5,659,679 5,740,183 5,740,413 5,752,013 5,754,839 5,922,070 5,987,598 6,067,644 6,094,730 6,163,840 6,175,814 6,195,748 6,205,545 6,223,338).pn.	US-PGPUB	15:24
_	530		USPAT; US-PGPUB	2004/09/20 15:26
_	84	<pre>(trace tracing) and (guard predicate) and ((commit\$5 ((finish\$3 complet\$3) near3 execut\$3)) with (indicat\$2 flag))</pre>	USPAT; US-PGPUB	2004/09/21 09:02
	53		USPAT	2004/09/20
_	34	1 7	USPAT	2004/09/20 15:45
-	0		USPAT	2004/09/20 15:45
	1		USPAT	2004/09/20 15:50
_	27		USPAT	2004/09/20 15:55
_	33		USPAT	2004/09/20 16:18
-	282	retir\$3) and g06f\$.ipc.	USPAT	2004/09/20 16:19
_	127	retir\$3 with register) and g06f\$.ipc.	USPAT	2004/09/20 16:45
_	64	g06f\$.ipc.	USPAT	2004/09/21 09:03
-	403	(set setting) near3 (bit flag) with instruction near5 (retir\$5 commit\$5 complet\$3 finish\$3) and g06f\$.ipc.	USPAT	2004/09/21 08:57
-	119	1 -	USPAT	2004/09/21 08:27
-	99		USPAT	2004/09/21 08:27
_	82		USPAT	2004/09/21 09:02
-	44		USPAT	2004/09/21 09:01
-	7		USPAT	2004/09/21 09:01
_	0	(copy\$3 copied writ\$3 transfer\$4) near3 (guard predicate) near5 (buffer register memory) with (commit\$5 retir\$5 finish\$3	USPAT	2004/09/21 08:40
	1	complet\$3) and g06f\$.ipc.		

					<u> </u>
	-	11	(quard predicate) near5 (buffer register	USPAT	2004/09/21
complete3 and golfs.jpc. 2004/09/21 20			memory) with (commit\$5 retir\$5 finish\$3		08:40
-			complet\$3) and g06f\$.ipc.	ļ	
Instruction near5 (retir\$5 commit\$5 complet33 finish33) and gof\$4.jpc. 2004/09/21 2004/0	_	21	(set setting) near3 (bit flag) with	EPO; JPO	2004/09/21
			instruction near5 (retir\$5 commit\$5		
12 (set setting) near3 (bit flag) with instruction near5 (terits) community 100 10					
Instruction hear5 (retir\$5 commit\$5 IDM TDB 09:00		12	(not notting) noor3 (bit flag) with	DERWENT:	2004/09/21
complets3 finishs3, and go6fs.ipc.	-	12	instruction month / retires commités		
			Instruction hears (retrive committee	1211_122	05.00
(guard predicate) nears (buffer register memory) and (trace tracing) and gos(3.1pc.) (goy43 copied writs3 transfer\$4) near3 (guard predicate) near5 (buffer register memory) and (trace tracing) and gos(4.1pc.) (goy43 copied writs3 transfer\$4) near3 (guard predicate) near5 (buffer register memory) and gof(5.1pc.) (gourd predicate) near5 (buffer register memory) and gof(5.1pc.) (gourd predicate) near5 (buffer register memory) and gof(5.1pc.) (got setting) near2 (bit flag) near6 instruction near3 (retir\$5 commit\$5) and gof(5.1pc.) (set setting) near2 (bit flag) near6 instruction near3 (retir\$5 commit\$5) and gof(5.1pc.) (trace tracing) and (quard predicate) and ((commit\$5 ((finish3c complet\$3)) near3 (finistruction vith disposition) and gof(5.1pc.) (trace tracing) and (guard predicate) and gof(5.1pc.) (instruction with disposition) and gof(5.1pc.) (indicat33 near5 (fully partially) near3 (secut33 near6) (full partially) near3 (secut33) near6) (full partially) near3 (secut33) near6) (full partially) near6 (secut33) near6) (full partially) near7 (secut34) near6 (full part			complets finishs) and goods. ipc.	FDO. JDO	2004/00/21
memory and (trace tracing) and go663.jec. (copy3) copied writs3 transfer\$4 near3 (quard predicate) near5 (buffer register memory) and (trace tracing) and go655.jec. (copy3) copied writs3 transfer\$4 near3 (quard predicate) near5 (buffer register memory) and go675.jec. (copy3) copied writs3 transfer\$4 near3 (copy3) copied writs3 transfer\$4 near5 (copy3) copied writs3 (copy4) copied writs3 (copy4) copied writs3 (copy4) copied writs3 (copy6) copied writs3 (copied writs3 complet\$3 and trace and go6f\$4 pc. (copy4) copied writs3 (copy6) copied writs5 (copy6) copied writs3 (cop	-	0	(copys3 copied writs3 transfers4) hears	EFO, OFO	
Goffs.ipc.			(guard predicate) nears (buffer register		09:01
Copy3; copied writ3; transfer\$4 near3					
(quard predicate) near5 (buffer register IBM_TDB 09:01			g06f\$.ipc.		
memory and (trace tracing) and gof6f3.jpc. copy83 copied writ83 transfer\$4) near3 (guard predicate) near5 (buffer register memory) and gof6f3.jpc. documents copy83 copied writ83 transfer\$4) near3 (guard predicate) near5 (buffer register memory) and gof6f3.jpc. like trace trace documents copy83 copied writ83 transfer\$4) near3 (guard predicate) near5 (buffer register memory) and gof6f3.jpc. like trace documents copy83 copied writ83 transfer\$4] documents copy83 copied writ83 complet\$3] documents copy84 copy84 copy84 copied writ83 with (retir85 commit\$5 finish\$3 complet\$3] documents copy84 copied writ83 with (retir85 commit\$5 finish\$3 complet\$3] documents copy84 copied writ83 with (retir85 commit\$5 finish\$3 complet\$3] documents copy84 copied writ83 with (retir85 commit\$5 finish\$3 complet\$3] documents copy84 copied writ\$3] with (retir85 commit\$5 finish\$3 complet\$3] documents copy84 copied writ\$3] with (retir85 commit\$5 finish\$3 complet\$3] documents copy84 copied writ\$3] with (retir85 commit\$5 finish\$3 complet\$3] documents copy84 copied writ\$3] with (retir85 commit\$5 finish\$3 complet\$3] documents copy84 copied writ\$3] with (retir85 commit\$5 finish\$3 complet\$3] documents copy84 copy84 copy84	-	0	(copy\$3 copied writ\$3 transfer\$4) near3	· ·	
Goffs.ipc. Copy33 copied writ\$3 transfer\$4 near3 (guard predicate) near5 (buffer register memory) and goffs.ipc. Copy33 copied writ\$3 transfer\$4 near3 (guard predicate) near5 (buffer register memory) and goffs.ipc. 1 (set setting) near2 (bit flag) near6 instruction near3 (retir\$5 commit\$5) and goffs.ipc. 0 (set setting) near2 (bit flag) near6 instruction near3 (retir\$5 commit\$5) and goffs.ipc. 0 (trace tracing) and (guard predicate) and ((commit\$5 (ffinish\$3 complet\$3) near3 execut\$3)) with (indicat\$2 flag) DERWENT; IBM_TDB O9:02 O9:03			(guard predicate) near5 (buffer register	IBM_TDB	09:01
Copy32 copied writ33 transfer34) near3 (guard predicate) near5 (buffer register memory) and g06f5.ipc. 2004/09/21 (guard predicate) near5 (buffer register memory) and g06f5.ipc. 1 (set setting) near2 (bit flag) near6 instruction near3 (retir\$5 commit\$51 and g06f5.ipc. 0 (set setting) near2 (bit flag) near6 instruction near3 (retir\$5 commit\$51 and g06f5.ipc. 0 (trace tracing) and (guard predicate) and ((commit\$5 (ffinish\$3 complet\$3) near3 execut\$31) with (indicat\$2 flag) DERWENT; IBM_TDB 09:02 2004/09/21 10:00			memory) and (trace tracing) and		•
			g06f\$.ipc.		
Guard predicate) near5 (buffer register memory) and go6fs.ipc. copy33 copied writ33 transfer34) near3 (guard predicate) near5 (buffer register memory) and go6fs.ipc. 1 (set setting) near2 (bit flag) near6 instruction near3 (retir\$5 commit\$5) and go6fs.ipc. 0 (set setting) near2 (bit flag) near6 instruction near3 (retir\$5 commit\$5) and go6fs.ipc. 0 (trace tracing) and (guard predicate) and ((commit\$5 (ffinish\$3 complet\$3) near3 execut\$3)) with (indicat\$2 flag) dinstruction with disposition) and go6fs.ipc. 1 (instruction with disposition) and go6fs.ipc. dinstruction with disposition) and go6fs.ipc. dinstruction with disposition) and go6fs.ipc. dindicat\$3 flag) dindicat\$3 near5 (fully partially) near3 execut\$31 and go6fs.ipc. dindicat\$3 flag) dindicat\$4 near5 (fully partially) near3 execut\$3 and go6fs.ipc. dindicat\$3 near5 (full partiall) near3 execut\$3 and go6fs.ipc. dindicat\$4 near5 (full partiall) near3 execut\$3 execut\$3 and go6fs.ipc. dindicat\$4 near5 (full partiall) ne	-	3	(copy\$3 copied writ\$3 transfer\$4) near3	EPO; JPO	2004/09/21
			(guard predicate) near5 (buffer register		09:01
Copy\$3 copied writ\$3 transfer\$4) near5 (guard predicate) near5 (buffer register memory) and g06f5.ipc.			memory) and g06f\$.ipc.		
(quard predicate) near5 (buffer register memory) and go6f5.ipc.	_	ત	(conv\$3 copied writ\$3 transfer\$4) near3	DERWENT;	2004/09/21
memory and g06f5.ipc.		,	(quard predicate) nears (buffer register		
		*			
				EPO: JPO	2004/09/21
Goffs.ipc.	-	1	(Set Setting) heard (Dit Itag) heard	BEO, OFO	
Set setting) near2 (bit flag) near6 DERWENT; 2004/09/21 09:02 09:03					09.02
IBM_TDB				DEDMENT	2004/00/01
Goffs.ipc.	-	0	(set setting) near2 (bit flag) near6	i i	
Crace tracing) and (guard predicate) and (commits5 ((finish\$3 complet\$3) near3 execut\$3)) with (indicat\$2 flag)) (trace tracing) and (guard predicate) and (commits5 ((finish\$3 complet\$3) near3 execut\$3)) with (indicat\$2 flag)) (trace tracing) and (guard predicate) and (commits5 (finish\$3 complet\$3) near3 execut\$3)) with (indicat\$2 flag)) (finstruction with disposition) and g06f\$.ipc.				TRW_LDB	09:02
((commit\$5 ((finish\$3 complet\$3) near3 execut\$3)) with (indicat\$2 flag))					
	_	0	(trace tracing) and (guard predicate) and	EPO; JPO	· · · · · · · · · · · · · · · · · · ·
execut33) with (indicat\$2 flag)	•		((commit\$5 ((finish\$3 complet\$3) near3		09:03
Ctrace tracing) and (guard predicate) and ((commit\$5 ((finish\$3 complet\$3)) near3 execut\$3)) with (indicat\$2 flag))					
Commit\$5 ((finish\$3 complet\$3) near3 IBM_TDB 09:03	_	0		DERWENT;	2004/09/21
execut\$3]) with (indicat\$2 flag))				IBM TDB	09:03
-				<u>-</u>	
09:03 09:03 09:03 09:06 09:0	1_	1		EPO: JPO	2004/09/21
Continuation with disposition DERWENT; 2004/09/21		1	_ =	210, 313	
Goffs.ipc. Gof				DEDWENT.	1 ' '
38	_	ρ	<u> </u>		•
		20			
- 0 indicat\$3 near\$ (fully partially) near3 execut\$3 and g06f\$.ipc. 1 indicat\$3 near\$ (fully partially) near3 execut\$3 and g06f\$.ipc. 2 004/09/21 execut\$3 and g06f\$.ipc. 3 indicat\$3 near\$ (full partially) near3 execut\$3 and g06f\$.ipc. 4 0 indicat\$3 near\$ (full partial) near3 execut\$3 and g06f\$.ipc. 5 indicat\$3 near\$ (full partial) near3 EPO; JPO 2004/09/21 EXECUT\$3 and g06f\$.ipc. 5 indicat\$3 near\$ (full partial) near3 EPO; JPO 2004/09/21 EXECUT\$3 near\$ (full partial) near3 EPO; JPO 2004/09/21 EXECUT\$3 near\$ (full partial) near3 EPO; JPO 2004/09/21 EXPAT; 2004/09/2	-	38			1
execut\$3 and g06f\$.ipc. 1 indicat\$3 near5 (fully partially) near3 execut\$3 and g06f\$.ipc. 2004/09/21 execut\$3 and g06f\$.ipc. USPAT; 2004/09/21 execut\$3 and g06f\$.ipc. USPAT; USPAT; 2004/09/21 US				1	
1 indicat\$3 near5 (fully partially) near3 execut\$3 and g06f\$.ipc. 109:20 109:2	-	0	indicat\$3 near5 (fully partially) near3	EPO; JPO	
execut\$3 and g06f\$.ipc. IBM_TDB					
- 40 indicat\$3 near\$ (full partial) near\$ USPAT; US-PGPUB 10:04 ("5404496" "5430862" "5493723" USPAT 2004/09/21 "5526485" "5544311" "5564041" USPAT 2004/09/21 "5526485" "5544311" "5564041" USPAT 2004/09/21 "575264839" "5857094" "5978937" "6314530" "6453410").PN. (predicate guard) with (trace tracing) and g06f\$.ipc. (predicate guard) with post near2 processing and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) writ\$3 complet\$3 complet\$3 and trace and g06f\$.ipc. (predicate guard) writ\$3 complet\$3 c	-	1		· ·	
execut\$3 and g06f\$.ipc.					
14	-	40		· ·	· '
- 14 ("5404496" "5430862" "5493723" USPAT 2004/09/21 "5526485" "5544311" "5564041" 09:57 09:57 09:57 09:57 09:57 09:57					i ·
"5526485" "5544311" "5564041" "5544703" "5715440" "5752013" "6314530" "6453410").PN. (predicate guard) with (trace tracing) and g06f\$.ipc. (predicate guard) with post near2 processing and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc.	-	14		USPAT	
"5644703" "5715440" "5752013" "5754839" "5857094" "5978937" "6314530" "6453410").PN. (predicate guard) with (trace tracing) and g06f\$.ipc. 4 (predicate guard) with post near2 processing and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) and g06f\$.ipc. 10 (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. 1 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc.					09:57
"5754839" "5857094" "5978937" "6314530" "6453410").PN. (predicate guard) with (trace tracing) and g06f\$.ipc. (predicate guard) with post near2 processing and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. 27 (trace near2 (buffer cache)) with instruction near5 (retir\$5 commit\$5					
- 27 (predicate guard) with (trace tracing) and g06f\$.ipc. - 4 (predicate guard) with post near2 processing and g06f\$.ipc. - 154 (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. - 1 1 (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. - 1 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. - 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. - 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. - 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. - 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. - 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. - 27 (trace near2 (buffer cache)) with uspar; us					
- 27 (predicate guard) with (trace tracing) and g06f\$.ipc. - 4 (predicate guard) with post near2 processing and g06f\$.ipc. - 154 (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) and g06f\$.ipc. - 10 (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. - 1 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. - 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. - 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. - 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. - 27 (trace near2 (buffer cache)) with uspan; us			· · · · · · · · · · · · · · · · · · ·		
and g06f\$.ipc. (predicate guard) with post near2 processing and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) and g06f\$.ipc. 10 (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. 1 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (trace near2 (buffer cache)) with instruction near5 (retir\$5 commit\$5 US-PGPUB 11:02 USPAT; US-PGPUB 11:04 USPAT; US-PGPUB 11:04 US-PGPUB 11:04 US-PGPUB 11:04 US-PGPUB 11:04 US-PGPUB 11:04 US-PGPUB 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:10 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:06 11:07 11:06 11:10 11	_	27		USPAT:	2004/09/21
- 4 (predicate guard) with post near2 processing and g06f\$.ipc 154 (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) and g06f\$.ipc 10 (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc 1 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc 2 (trace near2 (buffer cache)) with instruction near5 (retir\$5 commit\$5		"			
processing and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) with (puffer register trace table cache) with (puffer register trace table cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (trace near2 (buffer cache)) with instruction near5 (retir\$5 commit\$5 tus-pgpub 11:18				4	_
- 154 (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) and g06f\$.ipc. - 10 (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. - 1 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) writh (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. - 2 (predicate guard) with (copy\$3 copie? writ\$3) same trace and g06f\$.ipc. - 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. - 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. - 27 (trace near2 (buffer cache)) with instruction near5 (retir\$5 commit\$5 us-pgpub 11:18	-	4			1 = '
writ\$3) with (buffer register trace table cache) and g06f\$.ipc. 10 (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. 1 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) with (retir\$5 commit\$5 finish\$3 us-pgpub 11:11 complet\$3) same trace and g06f\$.ipc. 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 us-pgpub 11:11 complet\$3) same trace and g06f\$.ipc. 2 (predicate guard) with (copy\$3 copie? uspat; us-pgpub 11:12 complet\$3) and trace and g06f\$.ipc. 2 (trace near2 (buffer cache)) with instruction near5 (retir\$5 commit\$5 us-pgpub 11:18		1			
cache) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (trace near2 (buffer cache)) with uspat; us	-	154		•	_
- 10 (predicate guard) with (copy\$3 copie? writ\$3) with (buffer register trace table cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. - 1 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. - 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. - 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. - 27 (trace near2 (buffer cache)) with uspat;				US-PGPUB	11:00
writ\$3) with (buffer register trace table cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. 1 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. 2 (predicate guard) with (copy\$3 copie? usPAT; us-PGPUB 2 (predicate guard) with (copy\$3 copie? usPAT; us-PGPUB 3 complet\$3) with (retir\$5 commit\$5 finish\$3 us-PGPUB 4 complet\$3) and trace and g06f\$.ipc. 5 complet\$3) and trace and g06f\$.ipc. 6 complet\$3) and trace and g06f\$.ipc. 7 (trace near2 (buffer cache)) with usPAT; us-PGPUB 11:10 1:10 11:10					0004/00/01
cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. 1 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. 27 (trace near2 (buffer cache)) with instruction near5 (retir\$5 commit\$5 USPAT; USP	-	10			
cache) with (retir\$5 commit\$5 finish\$3 complet\$3) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (trace near2 (buffer cache)) with instruction near5 (retir\$5 commit\$5 USPAT;				US-PGPUB	11:10
complet\$3) and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (trace near2 (buffer cache)) with instruction near5 (retir\$5 commit\$5 USPAT;					
- 1 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. 2 (trace near2 (buffer cache)) with instruction near5 (retir\$5 commit\$5 commit\$5 us-pgpub 11:18					
writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (trace near2 (buffer cache)) with instruction near5 (retir\$5 commit\$5 US-PGPUB 11:11 2004/09/21 11:12	-	1		USPAT;	2004/09/21
complet\$3) same trace and g06f\$.ipc. (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc. (trace near2 (buffer cache)) with instruction near5 (retir\$5 commit\$5 USPAT;					11:11
- 2 (predicate guard) with (copy\$3 copie? writ\$3) with (retir\$5 commit\$5 finish\$3 complet\$3) and trace and g06f\$.ipc 27 (trace near2 (buffer cache)) with instruction near5 (retir\$5 commit\$5 commit\$5 US-PGPUB 11:18					
writ\$3) with (retir\$5 commit\$5 finish\$3 US-PGPUB complet\$3) and trace and g06f\$.ipc. (trace near2 (buffer cache)) with instruction near5 (retir\$5 commit\$5 US-PGPUB 11:18	_	_		IISDAT.	2004/09/21
complet\$3) and trace and g06f\$.ipc. (trace near2 (buffer cache)) with uspat; 2004/09/21 instruction near5 (retir\$5 commit\$5 us-pgpub 11:18		-	1 1	· ·	
- 27 (trace near2 (buffer cache)) with USPAT; 2004/09/21 instruction near5 (retir\$5 commit\$5 US-PGPUB 11:18			· · · · · · · · · · · · · · · · · · ·	02-1910	*****
instruction near5 (retir\$5 commit\$5 US-PGPUB 11:18				IICDAM.	2004/09/21
2110024002011 110420 /200211 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	27			1
I timish\$3 complet\$3) and d06f\$ inc.				US-PGPUB	1 11.10
1 1 1 1 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2		1	finish\$3 complet\$3) and g06f\$.ipc.	L	

	7.5		TTGD 70 mg.	1
_	36	trace with (stor\$3 record\$3) with	USPAT;	2004/09/21
		instruction near5 (retir\$5 commit\$5	US-PGPUB	11:32
		finish\$3 complet\$3) and g06f\$.ipc.	TIGD D. T.	
-	20	trace with whether near5 instruction	USPAT;	2004/09/21
		near5 (retir\$5 commit\$5 finish\$3	US-PGPUB	12:54
		complet\$3 execut\$3) and g06f\$.ipc.		1
_	351	(trace tracing debug\$4) and (flag bit	USPAT;	2004/09/21
		indicat\$3) near8 whether near5	US-PGPUB	12:57
		instruction near5 (retir\$5 commit\$5		
		finish\$3 complet\$3 execut\$3) and		
		g06f\$.ipc.		
-	39		USPAT;	2004/09/21
		indicat\$3) with whether near5 instruction	US-PGPUB	12:57
		near5 (retir\$5 commit\$5 finish\$3		Ì
		complet\$3 execut\$3) and g06f\$.ipc.		
-	2	\==F_1 = = F_2 = = : ::==	USPAT;	2004/09/21
		predicate) with trace and g06f\$.ipc.	US-PGPUB	13:21
-	6		USPAT;	2004/09/21
		predicate) same trace and g06f\$.ipc.	US-PGPUB	13:21
-	29	, , , , , , , , , , , , , , , , , , ,	USPAT;	2004/09/22
		instruction and g06f\$.ipc.	US-PGPUB	09:08
_	196		USPAT;	2004/09/22
		(predicate guard) with (buffer register	US-PGPUB	09:12
		memory FIFO queue) and g06f\$.ipc.		
-	96		USPAT;	2004/09/22
		(predicate guard) near6 (buffer register	US-PGPUB	09:18
		memory FIFO queue) and g06f\$.ipc.		
-	4	(transfer\$4 writ\$3 copy\$3 copie?) near4	EPO; JPO	2004/09/22
		(predicate guard) near6 (buffer register		09:19
		memory FIFO queue) and g06f\$.ipc.		· .
-	5		DERWENT;	2004/09/22
		(predicate guard) near6 (buffer register	IBM_TDB	09:19
		memory FIFO queue) and g06f\$.ipc.		